



12V DC		F14-12C001-07S				Suction-Aspirante				24V DC									
		F14-12C001-07B				Blowing-Soffiante													
Test Voltage: 13,0 VOLT DC										Test Voltage: 26,0 VOLT DC									
Static Pressure		SUCTION Aspirante				BLOWING Soffiante				Static Pressure		SUCTION Aspirante				BLOWING Soffiante			
Pa	IN H2O	Airflow m ³ /h	Airflow cfm	Current A	Eff. %	Airflow m ³ /h	Airflow cfm	Current A	Eff. %	Pa	IN H2O	Airflow m ³ /h	Airflow cfm	Current A	Eff. %	Airflow m ³ /h	Airflow cfm	Current A	Eff. %
0	0	340	200	2,30						0	0								
25	0,1	320	190	2,35						25	0,1								
50	0,2	290	170	2,40						50	0,2								
75	0,3	260	150	2,40						75	0,3								
100	0,4	230	140	2,40						100	0,4								
125	0,5	180	100	2,40						125	0,5								
150	0,6	140	80	2,50						150	0,6								
175	0,7	100	60	2,60						175	0,7								
200	0,8	60	30	2,70						200	0,8								
225	0,9	0	0	2,80						225	0,9								



Weight: 0,4 Kg	Noise: LOW NOISE
Pressure rate: 1Pa = 0,004 inch H2O	Static Pressure: pascal (Pa)
Dimensions rate: 25,4 mm = 1 inch	Airflow rate: 1 m ³ /h = 0,59 cfm